

The Gazette of India

असाधारगा EXTRAORDINARY,

भाग II—सण्ड 3—उप-एण्ड (ii) PART II—Section 3—Sub-Section (ii)

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 344}

मई बिल्ली, शुक्रवार, जुलाई 1, 1988/ब्रावाह 10, 1910

No. 344]

NEW DELHI, FRIDAY, JULY 1, 1988/ASADHA 10, 1910

इस भाग में भिन्न पृष्ठ संस्था की जाती हैं जिससे कि यह अलग संकलन के कण में रखा जा सकी

Separate Paging is given to this Part in order that it may be filed as a separate compilation

संचार मंत्रालय

(डाक विभाग)

नई दिल्ली 1 जूलाई, 1988

ग्रधिसूचना

का. म्रा. 633(म):--- भारतीय डाकबर मधिनियम, 1898 (1898 का 6) की धारा 21 द्वारा प्रवस्त मिनतयों की प्रियेश करते हुए केन्द्र सरकार एतद्वारी भारतीय डाकधर नियमावली, 1933 का आगे और संशोधन करने के लिए निम्नलिखित नियम बनाती हैं, अर्थात:---

- 1. (1) इन नियमों का संक्षिप्त नाम भारतीय डाकधर (गोलहवां संशोधन) नियम, 1988 है।
 - (2) ये 1 जुलाई, 1988 को प्रमृत्त होंगे।
- 2. भारतीय डाकधर नियम, 1933 के नियम 50ग के मीचे अनुसूची में:---
- (क) धन् सूची-1 में
- (i) कालम 1 में भोषाल से सबंधित इन्द्रराज के बाद निम्नलिखित इन्द्रराज जोड़ा जाए, अर्थातः--

''लखनऊ

लखनङ जी.पी.ओ."

(ii) कालम 2 में, क्रम सं, 29 और कालम 3 और 4 में उसमें संबंधित इन्दराजों के बाद निम्नलिखित इन्दराज जोड़े जाए अर्थात :---

2	Q	4
30. नावँ	20 कि.ग्रा.	म्राकार किसी एक ओर से 1.50 मीटर या लम्बाई को छोड़कर किसी भी दिशा में मापे गये विस्तार और अधिकतम परिमाप का योग तीन मीटर से म्रधिक नहीं होगा।
31. लग्जमवर्ग	20 कि.ग्रा.	म्राकार किसी एक ओर से 1.50 मीटर या लम्बाई को छोड़कर किसी भी दिशा में मापे गये विस्तार और श्रधिकतम परिमाप का योग तीन मीटर से श्रधिक नहीं होगा।
32. सिंगापुर	30 कि.ग्रा.	धाकार किसी एक ओर से 1.05 मीटर या लम्बाई को छोड़कर किसी भी दिशा में मापे गए विस्तार और श्रधिकतम परिमाप का योग दो मीटर से श्रधिक नहीं होगा ।
33. कोरिया गणराज्य	20 कि.ग्रा.	भाकार किसी एक ओर से 105 सें. मी. या लम्बाई को छोड़कर किसी भी विशा में पाये गये विस्तार और अधिकतम परिमाप का योग 200 सें. मी. से अधिक नहीं होगा।
34. रवांडा	2 0 कि . ग्रा.	श्राकार किसी एक ओर से 1.50 मीटर या लम्बाई को छोड़कर किसी भी दिशा में मापे गये विस्तार और ब्रधिकतम परिमाप का योग 3 मीटर से श्रधिक नहीं होगा।

(ख) ध्रनुसूची -II में

(i) कालम 1 में तिवेन्द्रम से संबंधित इन्दराजों के बाद, निम्नलिखित इन्दराज जोड़े जाएं, प्रथात :---

''लखनऊ

लखनऊ जी. पी. ओ."

(ii) कालम 2 में कम सं. 8 और उसमे संबंधित कालम 3.4,5,6, और 7 इन्दराजों के बाद निम्नलिखित कम .सं. और इन्दराज जोड़े जाएं, प्रथित :--

2	3	4
9. ग्रास्ट्रेलिया	20 कि . ग्रा,	म्राकार किसी एक ओर से 1.05 मीटर या लम्बाई और घेरे का योगि- 2 मीटर से भ्रविक नहीं होना चाहिए। मद की माप 2 मि. मी. की छूट के साथ 90-140 मि. मी. से कम नहीं होना चाहिए।
10. हांगकांग	10 कि.ग्रा.	श्राकार किसी एक ओर से 1.05 मीटर या लम्बाई को छोड़कर किसी भी दिशा में मापे गये विस्तार और श्रधिकतम परिमाप का योग 2 मीटर से श्रधिक नहीं होगा।
11. संयुक्त अरब १	प्रमीरात 20 कि.ग्रा.	ब्राकार किसी एक ओर से 1.50 मीटर या लम्बाई की छोड़कर किसी भी दिशा में मार्प गये विस्तार और ब्रिधिकतम परिमाप का योग 3 मीटर से ब्रिधिक नहीं होगा
12. नीदरलेंड	2.0 कि . ग्रा.	ध्राकार किसी एक ओर से 1.50 मीटरया लम्बाई को छोड़कर किसी भी दिश्य में मापे गए विस्तार और ग्रधिकतम परिमाप का योग 3 मीटर से ग्रध्रिक नहीं होगा

2	3 .	4
13 सोवियत संव	20 कि . ग्रा.	कार किसी एक ओर से 1.05 मीटर या लम्बाई को छोड़कर किसी भी दिशा में मापे गये विन्तार और प्रधिकतम परिमाप का योग 2 मीटर मे अधिक नहीं
14. सेनेगल	20 कि .ग्रा.	हें चौड़ाई + घेरा 900 मि. मी. और किसी भी ओर का विस्तार 600 मि. मीं. ं स ग्राधिक नहीं होना चाहिए । लपेटें हुए ग्राकार से लम्बाई + दुगने ध्यास का योग 1040 मि. मी. और लम्बाई 900 मि. मी. से ग्राधिक नहीं होनी चाहिए।
15. बहुरीन	10 कि.ग्रा.	लम्बाई + जौड़ाई घेरा 900 मि. मी. और किसी भी ओर का विस्तार 600 मि. मी. से ग्रधिक नहीं होना चाहिए। लपेटे हुए श्राकार में लम्बाई + दुगने ब्यास का योग 1040 मि. मी. और लम्बाई 900 मि.मी. से श्रधिक नहीं होनी चाहिए।
16. श्रास्ट्रिया	20 कि.ग्रा.	श्राकार किसी एक ओर से 1.50 मीटर या लम्बाई को छोड़कर किसी भी दिणा से मापे गए विस्तार और श्रधिकतम परिमाप का योग 3 मीटर में श्रधिक नहीं होगा।
17. पाकिस्तान	20 कि.ग्रा.	श्राकार किसी एक ओर से 1.05 मीटर या (—250/-६.,80 रुपये) लम्बाई को छोड़कर किसी भी दिशा में मार्थ गर्ये विस्तार और श्रधिकतम परिमाप का योग 2 मीटर से श्रधिक नहीं होगा।
18. संधीय जर्मन गणराज्य	20 कि. गा.	श्राकार किसी एक और से 1.05 मीटर या लम्बाई को छोड़कर किसी भी दिशा में मापे गए बिस्तार का थोग 3 मीटर से श्रधिक नहीं होगा।
19. मिश्र	10 कि.ग्रा.	लम्बाई चौडाई + घेरा 900 मि. मी. और किसी भी ओर का विस्तार 600 मि. मी. से श्रिधिक नहीं होना चाहिए। लपेडे हुए श्राकार से लम्बाई + दुगना ब्यास का योग 1040 मि. मी. और लम्बाई 900 मि. मी. मे श्रिधिक नहीं होना चाहिए।

(iii) कालम 5 में "संयुक्त राज्य अमेरिका और बंगलादेश" शब्दों के स्थान पर "संयुक्त राज्य अमेरिका, बंगलादेश और पाकिस्तान" रखा जाए ।

> [सँख्या 51 /5 /86-डी ए / खण्ड -II] गुरचरन सिंह, सदस्य (प्रचालन और पदेन ग्रपर सचिव

MINISTRY OF COMMUNICATIONS

(Department of Posts)

NOTIFICATION

New Delhi, the 1st July, 1988

- S.O. 633(E).—In exercise of the powers conferred by section 21 of the Indian Post Office Act, 1898 (6 of 1898), the Central Government hereby makes the following rules further to amend the Indian Post Office Rules, 1933, namely:—
 - 1. (1) These rules may be called the Indian Post Office (16th Amendment) Rules, 1988.
 - (2) They shall come into force on the 1st day of July 1988.

- 2. In the schedule below rule 50C, of the Indian Post Office Rules, 1933.
- (a) in schedule I,
 - (i) in column 1, after the entry relating to Bhopal, the following entry shall be inserted, namely:— "Lucknow

Lucknow G.P.O."

(ii) in column 2, after serial No. 29 and the entries relating thereto in columns 3 and 4, the following serial Nos and entries shall be inserted, namely:—

2	3	4		
"30. Norway	20 Kg.	Size shall not exceed 1.50 metres for any one dimension or three metres for the sum of length and the greatest circumference measured in a direction other than that of the length.		
31. Luxembourg	20 Kg.	Size shall not exceed 1.50 metres for any one dimension or three metres for the sum of length and the greatest circumference measured in a direction other than that of the length.		
32. Singapore	20 Kg.	Size shall not exceed 1.05 metres for any one dimension or two metres for the sum of length and the greatest circumference measured in a direction other than that of the length.		
33. Republic of Korea	20 Kg.	Size shall not exceed 105 cms. for any one dimension or 200 cms. for the sum of the length and the greatest circumference measured in a direction other than that of the length.		
34. Rwanda	20 Kg.	Size shall not exceed 1.50 metres for any one dimension and three metres for the sum of the length and the greatest circumference measured in a direction other than that of the length.";		

(b) in schedule II,---

(i) in column 1, after the entry relating to "Trivandrum", the following entries shall be inserted, namely:— "Lucknow

Lucknow GPO";

(ii) in column 2, after serial No. 8 and the entries relating thereto in columns 3, 4, 5, 6 and 7, the following serial Nos and entries shall be inserted, namely:—-

2	3	4
"9. Australia	20 K g.	Size shall not exceed 1.05 metres for any one dimension or two metres for the sum of the length and the girth. The item should not measure less than 90 x 140 mm with a tolerance of two milimetres.
10. Hong Kong	10 Kg.	Size shall not exceed 1.05 metres for any one dimension or two metres for the sum of the length and the greatest circumference measured in a direction other than that of the length.
11. United Arab Emirates	20 Kg.	Size shall not exceed 1.50 metres for any one dimension or three metres for the sum of the length and the greatest circumference measured in a direction other than that of the length.

		and the state of the state of the	
2	3	4	
12. Netherlands	20 Kg.	Size shall not exceed 1.50 metres for any one dimension or three metres for the sum of the length and the greatest circumference measured in a direction other than that of the length.	
13. U.S.S.R.	20 Kg.	Size shall not exceed 1.05 metres for any one dimension and two metres for the sum of the length and the greatest circumference measured in a direction other than that of the length.	
14. Senegal	20 Kg.	Length Plus breadth plus girth should not exceed 900 mm and no single dimension should exceed 600 mm. in roll form the length plus twice the diameter should not exceed 1040 mm. and the length should not exceed 900 mm.	
15. Bahrain	10 Kg.	Length plus breadth plus girth should not exceed 900 mm. and no single dimension should exceed 600 mm. in roll form the length plus twice the diameter should not exceed 1040 mm. and the length should not exceed 900 mm.	
16. Austria	20 Kg.	Size shall not exceed 1.50 metres for any one dimension or three metres for the sum of the length and the greatest circumference measured in a direction other than that of the length.	
17. Pakista n	20 Kg.	Size shall not exceed 1.05 metres for any one dimension or two metres for the sum of the length and the greatest circumference measured in a direction other than that of the length.	Rs. 250/- Rs. 80/-
18. Federal Republic of Germany	20 Kg.	Size shall not exceed 1.05 metres for any one dimension or three metres for the sum of length and the greatest circumverence measured in a direction other than that of the length.	
19. Egypt	10 Kg.	Length plus breadth plus girth should not exceed 900 mm and no single dimension should exceed 600 mm. in roll form the length plus twice the diameter should not exceed 1040 mm. and the length should not exceed 900 mm."	

⁽iii) in Column 5, for the words "USA and BANGLADESH" the words "USA, BANGLADESH an PAKISTAN" shall be substituted.

[No. 51-5/86-DA/Vol. 1

GURCHARAN SINGH, Member (Operation and Ex-Officio Additional Secy.